

Read label carefully before using this product. Use reserved for farmers and professional applicators.

Guaranteed Analysis:

Soluble Potash (K2O):.....5.0%

Derived from: Potassium Acetate

Keep Out of Reach of Children

WARNING (!)



See back panel for Hazard Statements

SHAKE WELL BEFORE USE



NET CONTENTS:

USE RECOMMENDATIONS

CROP	RATE	OBSERVATIONS
Table grapes, red varieties	1 – 2 pts/ac	Apply 2 times per season, at the beginning of color change with 10-20% colored berries and/ or 12° brix, repeat 7-10 days after the first application.
		Use 100 gal of water per acre if using an air-blast sprayer. Use 10-12 gal of water per acre if using an electrostatic sprayer.
		Consult your Cultiva, LLC sales associate for more specific information on application rates for your local growing area and crop.
Table grapes, white varieties	1 pt/ac	Apply 2 times per season, at the beginning of color change and repeat 7 days after the first application.
		Use 100 gal of water per acre if using an air-blast sprayer. Use 10-12 gal of water per acre if using an electrostatic sprayer.
		Consult your Cultiva, LLC sales associate for more specific information on application rates for your local growing area and crop.
Citrus	1 pt/ac	Apply 3 weeks before harvest and repeat 2 weeks after the first application.
		Consult your Cultiva, LLC sales associate for more specific information on application rates for your local growing area and crop.
Cherries	1 – 2 pts/ac	Apply 5 to 7 days before harvest with enough water to obtain good coverage, avoid runoff.
		Consult your Cultiva, LLC sales associate for more specific information on application rates for your local growing area and crop.
Apples	1 – 2 pts/ac	Apply 1 or 2 times 30 days before harvest and repeat 7 to 15 days after the first appplication.
		Consult your Cultiva, LLC sales associate for more specific information on application rates for your local growing area and crop.

Hazard Statements: H303 – May be harmful if swallowed

H316 - Causes mild skin irritation

H320 - Causes eye irritation

H333 – May be harmful if inhaled

H335 - May cause respiratory irritation

First Aid: Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration. If person is breathing with difficulty provide oxygen. Call a poison control center or doctor for further treatment advice. Skin Contact: Remove contaminated clothes. Immediately wash skin with plenty of soap and water. If skin gets irritated seek medical assistance. Eye Contact: Hold eye open and rinse with water for 15-20 minutes. Call a doctor. Ingestion: Have victim drink abundant water. Never give anything by mouth to an unconscious person. Call a doctor.

Warranty: Since weather, crops, soil and other conditions may vary, Cultiva, LLC does not make a warranty of any kind, expressed or implied, concerning the use of this product. The user assumes all risk of use and handling whether or not in accordance with directions or suggestions.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html