



Parka®

POWERED BY **Sure Seal™**
FERTILIZER TECHNOLOGY

Parka® Crop Cuticle Supplement is a patented blend of phospholipids designed to supplement the cuticle of growing fruit and foliage. Supplementing the cuticle of the fruit reduces micro-fractures to minimize cracking from rain, improve finish, reduce post-harvest disorders as well as provide sunburn protection. Parka applications provide support to the cuticle of the foliage and reduce stress to improve fruit quality and yield. All ingredients contained in Parka are exempt from the requirement of a tolerance.

It all goes back to the cuticle.™

CONTAINS NON-PLANT FOOD INGREDIENT(S):

Linoleic Acid	2.00%
Oleic Acid	0.50%
Lauric Acid	0.20%
Phosphatidic Acid (PA)	0.10%
Phosphatidylethanolamine (PE)	0.05%
Derived from: Phosphatidylcholine and Stearic Acid	

Crop	Rate/ac (ha)	Use Guidelines
Apples	1 gal (9.5 L)	Apply at fruit set. Reapply every 21 days.
Berry crops (Blueberries, Caneberries, Strawberries)	0.5 - 1 gal (4.75 - 9.5 L)	Apply when first fruit is 5-7 mm in size. Reapply every 14-21 days.
Cherries - Cracking	1 gal (9.5 L)	Apply at 100% shuck fall with a second application at straw color. Reapply every 7-10 days. For reactionary applications, apply within 24-48 hours before a rain event.
Cherries - Doubling	1 gal (9.5 L)	Apply 1-2 weeks post-harvest. Reapply every 14-21 days for a minimum of 2 applications per season.
Citrus	0.5 - 1 gal (4.75 - 9.5 L)	For summer applications: Apply at fruit set. Reapply every 21 to 25 days. For winter applications: Apply at senescence and prior to moisture events.
Field crops (Tomatoes, Peppers, Melons, Leafy Greens)	0.5 - 1 gal (4.75 - 9.5 L)	Leafy Greens: Apply 7-10 days after transplant. Reapply every 14 days. Melons, peppers, tomatoes: Apply at fruit set. Reapply every 14-21 days.
Grapes (Table and Wine)	0.5 - 1 gal (4.75 - 9.5 L)	Apply at 10 mm (pea size). Reapply every 14-21 days.
Nut Crops (Almonds, Pistachios, Walnuts)	1 gal (9.5 L)	Apply at fruit set. Reapply every 21 days.
New Planting (Tree Crops)	1 gal or 1% V/V (9.5 L)	Apply when temperatures reach 90°F and above for more than 2 days. Reapply every 14-21 days.
Stone Fruit (Peaches, Nectarines, Plums, Apricots)	0.5 - 1 gal (4.75 - 9.5 L)	Apply at fruit set. Reapply every 21 days.
Pears	1 gal (9.5 L)	Apply at fruit set. Reapply every 21 days.

APPLICATION: For best results, complete coverage on the crop is required. Avoid excessive runoff. Do not apply when temperatures are above 90°F. If temperatures are expected to exceed this threshold, evening applications are recommended.

COMPATIBILITY: Parka is compatible with most crop protection products, provided application coincides with the conditions on each label. Do not tank mix or overlap Parka applications within 5 days of CAPTAN®. If using micronized or dusting sulfur, do not apply Parka within 3 days of a sulfur application. If using Lime Sulfur wait 7 days before applying Parka. Prior to tank mixing with any Emulsifiable Concentrate (EC) or oil based materials, conduct a jar test to determine compatibility. Do not tank mix with surfactants, stickers or pinolene based materials. Parka should be the last product added to the tank. For best results, finished spray solution pH should be between 5 and 7.

FIRST AID

If in Eyes:	Rinse with slowly and gently running water for 15-20 minutes. If wearing contacts remove after five (5) minutes of rinsing and then continue rinsing. If irritation persists get medical attention.
If Swallowed:	Give large quantities of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.
If on Skin:	Remove contaminated clothing. Thoroughly wash exposed skin area(s) with soap and water. If irritation occurs get medical attention. Do not reuse contaminated clothing until washed and cleaned.
If Inhaled:	Remove individual from area. Give symptomatic and supportive care if required. Get medical attention.

STORAGE AND HANDLING

Storage: Protect from freezing. Store in a cool, dry, shaded area away from children and animals. Store above 50°F.

Spills: Surround and dike area of spill. Prevent runoff into streams, other waterways, or sewer systems. Soak up spill and place in containers. Wash contaminated area with soap and water.

Disposal: Dispose of material and rinsate as directed by local, state, or Federal authorities. Keep out of streams and other waterways.

WARRANTY AND DISCLAIMER STATEMENT

To the extent consistent with applicable law, seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, user assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

CONDITIONS: Use directions must be followed carefully. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of factors including, but not limited to: weather conditions; presence of other materials; or the manner of use or application, all of which are beyond the control of the manufacturer or seller. The buyer shall assume all such risks.

NET CONTENTS: 2.5 Gallons (9.5 Liters) U.S. Patent #8,752,328

Emergency Contact / Number: (888) 638-1955 (US only); (702) 987-6203 (outside US)

cultiva®

Cultiva LLC

4780 West Harmon Ave., Suite 6
Las Vegas, NV 89103
(888) 638-1955 • cultiva.com

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.html>

